

DECLARATION OF PERFORMANCE

GTEC Fire Board

No. UKSI-00520-005

1. Unique identification code of the product-type:

GTEC Fire Board (Gypsum Plasterboard Types D and F)

2. Intended use/es:

General building construction

3. Manufacturer:

Etex Building Performance Limited, Marsh Lane, Easton-in-Gordano, Bristol, BS20 0NE, UK

4. Not applicable

5. System/s of AVCP:

Systems 4

6a. Harmonised standard: **BS EN 520:2004+A1:2009**

6b. Not applicable

7. Declared performance/s:

Essential characteristics	Performance		Harmonised Technical Specification
Flexural strength 12.5mm 15mm	Transverse: ≥210N ≥250N	Longitudinal: ≥550N ≥650N	EN 520:2004+A1:2009
Shear Strength	NPD		
Reaction to fire	Euroclass A2-s1,d0		EN 520:2004+A1:2009
Airborne Sound Insulation	see literature		
Acoustic Absorption	see literature		
Water vapour permeability (μ)	10		EN 12524:2000
Thermal resistance	0.25 W/m.K		EN 12524:2000
Impact Resistance	see literature		

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

ORIGINAL DECLARATION:

Signed for and on behalf of Siniat Limited by:
Jean-Michel Desmoutier, Managing Director
Bristol, 01/07/2013



REVIEWED DECLARATION:

Signed for and on behalf of Etex Building Performance Limited by:
Nigel Morrey, Technical Director
Bristol, UK, 15/04/2019



Please check that this is the current version by visiting the Siniat website. For archived versions please contact technical services.

ETEX BUILDING PERFORMANCE LIMITED

Gordano House, Marsh Lane, Easton-in-Gordano, Bristol, BS20 0NE
Technical Services | T: +44 (0)800 145 6033 or +44 (0)1275 377 789
E: technical.siniat@etexbp.co.uk
www.siniat.co.uk