

WEATHER DEFENCE JOINT TAPE

1. Identification of the product and company

Weather Defence Joint Tape

Supplier:

Siniat Limited
Marsh Lane
Easton-in-Gordano
Bristol BS20 0NE

T 01275 377 773

(opening hours: Monday to Friday 08:15 – 17:00)

E technical.services@siniat.co.uk

2. Hazards identification

This product is not classified as hazardous under the EU CLP Regulation (European Regulation EC/1272/2008 on the classification, labelling and packaging of substances and mixtures).

3. Composition / information on ingredients

General composition

Solvent-free modified acrylic dispersion adhesive

4. First aid measures

Inhalation:

No Special measures required.

Skin contact:

Using clean water, rinse and then wash using soap & water. No allergic reactions are known.

Ingestion:

No Special measures required.

Eye contact:

No Special measures required.

Please note:

Should any symptoms develop obtain medical assistance.

5. Fire fighting measures

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Formation of toxic gases is possible during heating or during combustion. Wear self-contained respiratory protective device.

6. Accidental release measures

No Special Measures required.

7. Handling and storage

Handling

When handling this product use suitable manual handling techniques to limit risk. Mechanical handling aids may be used to reduce the risk of injury when handling bulk quantities.

Storage

Store in original unopened packaging, in dry conditions and away from sources of heat and direct sunlight.

8. Exposure controls/ personal protection

Personal protection

General

Under general use and handling this product does not contain any materials which require monitoring at the workplace. Use in areas with good general ventilation. There are no special requirements for personal protection.

9. Physical and chemical properties

Appearance

Black rolls of tape of width 60mm with release paper.

Properties

Bond strength: approximately 35N/ 25mm

Moisture resistance: Very good

UV Resistance: 12 months

10. Stability and reactivity

Stable and non reactive with other building materials.

11. Toxicological effects

No Special Requirements.

12. Ecological information

Stable product with no known adverse effect

13. Disposal considerations

Discarded product is classified as non-hazardous waste (UK) and should be disposed in accordance with waste legislation.

14. Transport information

Not classified as hazardous for transport.

15. Regulatory information

This product is not classified as hazardous under the EU CLP Regulation (European Regulation EC/1272/2008 on the classification, labelling and packaging of substances and mixtures).

This product constitutes an article according to the definitions contained within the EU REACH Regulation (European Regulation EC/1907/2006 on the Registration Evaluation Authorisation and Restriction of Chemicals). As such, the legal obligations of articles 31 and 32 of the Regulation do not apply (provision of information in the supply chain on substances and mixtures).

In relation to Article 33 of the REACH Regulation, this product does not contain any substances of very high concern (SVHC) at a concentration of more than 0.1% by weight.

16. Other information

This product is only intended for use as defined within current Siniat Literature.

This data sheet does not replace the user's own work place risk assessment. It is not intended for the purposes of precise product specification nor warranty.

All information and instructions provided in this data sheet are based on the current state of scientific, technical and legal knowledge at the date indicated on the present data sheet.

The user should ensure that the data sheet being consulted is the current version. To confirm this, or for

any additional information or support on intended use, please contact Siniat Technical Services.

SDS Revision History:

Version	Date	Revision
1.0	28/11/2016	First Siniat Issue