

DECLARATION OF PERFORMANCE SINIAT THERMAL XP BOARD

No.UKSI-13950-004-22GB

1. Unique identification code of the product-type:

Siniat Thermal XP Board

2. Intended use/es:

General building construction

3. Manufacturer:

Siniat, Etex Building Performance Limited, Marsh Lane, Easton-in-Gordano, Bristol, BS20 ONE, UK

4. Not applicable

5. System/s of AVCP:

System 3

6a. Designated standard: **EN 13950:2014**

Approved Body: **0832**

Performed: **Reaction to Fire**

Under: **System 3**

6b. **N/A**

7. Declared performance/s:

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to Fire	B-s1,d0	EN 13501-1:2007+A1: 2009
Flexural Strength-F	Transverse Longitudinal ≥160N ≥400N	EN 520:2004+A1:2009
Water vapour permeability - μ:	NPD	
Thermal conductivity - λ: 27mm 35mm 55mm	0.58 m ² .K/W 0.81 m ² .K/W 1.41 m ² .K/W	EN 13950:2014
Impact Resistance- →I:	see literature	
Airborne sound insulation - R:	see literature	
Acoustic absorption - α:	see literature	
Dangerous substances - DS	NPD	

ETEX BUILDING PERFORMANCE LIMITED

Gordano House, Marsh Lane, Easton-in-Gordano, Bristol, BS20 ONE
 Technical Services | T: +44 (0)800 145 6033 or +44 (0)1275 377 789
 E: technical.siniat@etexbp.co.uk
 www.siniat.co.uk

DECLARATION OF PERFORMANCE SINIAT THERMAL XP BOARD



8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, as it has effect in the United Kingdom, in respect of Great Britain, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of Etex Building Performance Limited by:

Nigel Morrey, Technical Director

Bristol, UK, 04/10/2024



Please check that this is the current version by visiting the Siniat website. For archived versions please contact technical services.